LEEP/ICK

Rotary packaging equipment and engineered system

COMPANY



Leepack Co., Ltd, based in S. Korea, is the leading company for intermittent rotary packaging system. Product portfolio ranges from stand alone filling unit, vacuum packer and vertical form fill seal machine to rotary fill and seal machine for food, pharmaceutic and chemical product. As a result of globalwide vigorous expansion, there are more than 20 agents in 5 continents and the export business to global food and chemical conglomerates is continuously growing up. Leepack machine targets the most durable and versatile machine in the world. In order to fulfill our vision, requirement of 10 year lasting durability are taken into account from the initial engineering through all the manufacturing process. Along with its durability, our versatile configuration and expandability will give you the chance to realize your creative idea to improve manufacturing productivity and products' marketability.

LEEPACK Tech center (2013) & The second factory (2016)

SINCE 1967






















- "Leegun system" subsidiary company founded

- All model CE certification acquiredRotary Fill Cap machine developed for paint packaging















- Launched Rotary
 Quadseal Pouch Fill
 Seal Machine

ROTARY PACKAGING

Since the development, Rotary Fill Seal machine has been fulfilling customers requirements to produce various type of products with limited number of machine. Rotary Fill Seal machine, based on pre-formed pouches provides numerous benefits on more efficient and convenient packaging automization.

BENEFIT

Fast & Accurate performance

From simplex to quadplex series, Leepack RP series can speed up to 180 pouches per minute with quadplex model. Also long experienced technology in filling area guarantees to perform with high level of accuracy.

Versatile configuration

Modular design from the component level allows versatile configuration to meet client's any particular requirements.

Quick format change

Based on simple mechanism and extended automation, changing into different formats is quick and easy.

Low space requirement

Thanks to its compact dimension, Leepack RP machine can be easily installed in small space or connected with other equipments.

Durable quality

"All of its components in Leepack machine are designed and manufactured to last at least 10 years. Modular basis engineering and all time controlled manufacturing assure excellent and reliable quality."

Better Presentation

Leepack RP machine can handle any kind of pre-formed pouches from standard flat/doypack to corner spout/contoured shape pouches, which elevated your product's presentation and marketability.

PROCESS

General configuration

Leepack RP system's versatile capability can realize your specific packaging requirement.



Auxiliary device can be integrated depending on filling product or any other requirements

Etc

N2/steam flushing, Nozzle type evacuation







Sealing

100% guaranteed PID controlled heat sealing







Etc

TT chain conveyor







Pouch loading

"Storage up to ~500pouches. Simple adjustment for format change"

Etc

Special pouch magazine









Product fillingAvailable for integration with various filling units

Bowl feeder, cup feeder














Pouch opening
Suitable for any type of pouches.
(flat, doypak®, zipper etc)





Zipper OpeningPatented system for zipper

pouch open





Date coding

Any kind of coding unit can be implemented



Laser printer,Thermal printer



APPLICATION











Liquid	Juice, Ginseng Juice, Dairy food, Shampoo, Detergent, Edible oil, etc
Paste and Paste w / soild	Ketchup, Jam, Chily Paste, Curry, Soup, Cooked meal, etc
Powder	Flour, Seasoning, Chilli Powder, Powder Detergent, Chemical Powder, etc
Granule	Sugar, Salt, Grain, Coffee, Nuts, Cereal, Tablet/Capsule, etc
Lump	Chestnut, Instant Noodle, Cocktail Ice, Sausage, Biscuit, Pickles, etc

POUCH PATTERN

Flat



Stand up (Doypak®)



Special Shape





RT Series liquidor paste with solid











Leepack offers a wide range of intermittent 8/10 station rotary fill seal machines to suit your needs with attractable premade pouches. This machine is Leepack's the most widely manufactured machine which can be perfectly fitted into any industries areas without harming its capacity and accuracy.



Key features

"Rotary Fill Seal Machine - Standard Simplex"

Proven standard performance

RT Series, LEEPACK's best-selling model, can be applied to any type of pouches and packed materials.

Wide application

Any kind of pouch, filling prouduct can be realized in Leepack's best selling RT series with wider pouch width up to 340mm.





Zipper Pouch Opening System Swivel Filling System





Neutral Gripper System Pouch forming system



RT-110

Description		Model				
		RT-108	RT-110	RT-208	RT-210	
Number of Station (type)		8	10	8	10	
Speed	ВРМ	40~60	40~60	40~60	40~60	
Speed		Speed may vary with product characteristics, pouches or other operation condition.				
Pouch Size	Width(mm)	150~300	100~240	150~340	150~300	
Pouch Size	Length(mm)	150~425	150~350	150~425	150~425	











Leepack offers a wide range of intermittent 7/8/9/10 station dual gripper type rotary fill seal machines to maximize capacity. This will be the perfect solution for small to medium sized product which requires high capacity under repeatable frequent change over process.



Key features

"Rotary Fill Seal Machine - Dual gripper system"

Dual gripper type

Independent dual gripper system handles 2 pouches at a time with wide range of pouch width up to 270mm.

Up to 100 bpm

Machine can speed up to 100 pouches per minute for any product application.



Pouch top & bottom opening



Thermal sealing



Description		Model				
		RD-314	RD-316	RD-318	RD-320	
Number of	Station (type)	7	8	9	10	
Speed	ВРМ	80~100	80~100	80~100	80~100	
Speed		Speed may vary v	vith product characterist	ics, pouches or other op	eration condition.	
Dough Size	Width(mm)	100~270	100~230	100~180	100~160	
Pouch Size	Length(mm)	150~350	150~350	150~350	150~350	











LEEPACK offers Duplex high-speed Rotary Fill Seal Machine with 8/9 stations, optimized for maximizing the productivity of small pouch products. Installed in a minimum space, it offers maximum productivity.



Key features

"Rotary Fill Seal Machine - High speed dual gripper system"

Up to 120bpm

It can work in combination with all types of weighers and fillers and capable of production up to 120 products every minute.

Hygienic dual gripper system

The dual gripper system satisfying sanitary standards is optimally designed for high-speed production to ensure fast and stable production.



Pouch position & 2-sheet detection



Pouch opening



Description		Мо	odel
		RX-116	RX-118
Number of Station (type)		8	9
Speed	ВРМ	100~120	100~120
Speed		Speed may vary with product characteris	tics, pouches or other operation condition.
Pouch Size	Width(mm)	100~150	80~110
Poucii Size	Length(mm)	150~350	150~350

RQ Series Figure 1 Paste with powder granule lump

Leepack offers 7/8 station quadruple gripper type rotary fill seal machines to maximize capacity. This will be the perfect solution for small sized product which requires maximum capacity under repeatable frequent change over process.



Key features

"Rotary Fill Seal Machine - Quadruple gripper system"

Up to 160 bpm

For small liquid product, machine can speed up to 160 pouches per minute.

Quadruple gripper system

Quadruples gripper system handles 4 pouches at a time to maximized machine capacity.



Product filling



Sealing / Cooling



Description		Model			
		RQ-328	RQ-332		
Number of Station (type)		7	8		
Speed	ВРМ	140~160	140~160		
Speed		Speed may vary with product characterist	ics, pouches or other operation condition.		
Pouch Size	Width(mm)	80~120	80~100		
Poucii Size	Length(mm)	150~250	150~250		

RG Series (Iquid or paste)











LEEPACK's RG series the Rotary Fill Seal Machine for premade Side gusseted guad seal pouch. Leepack's unique mechanism and proven quality enables flexible usage with various application. Side gusseted quad seal pouches' cubic shape provides more flat printing area and unit volume, which enhances packaged product's marketability and efficiency in handling process.



Key features

"Rotary Fill Seal Machine - Side gussetted quad seal pouch"

Side gusset pouch handling

Patented unique gripping system enables pre-made side gussetted pouch can be handles in rotary packaging system.

Small installation space

It has core units optimally designed to pack Quad seal pouch products configured in 8 stations to minimize the space for installation.



Patented unique pouch handling mechanism



Product filling station



RG-108

Description		Model	
		RG-108	
Number of Station (type) 8			
Spood	ВРМ	30~40	
Speed		Speed may vary with product characteristics, pouches or other operation condition.	
	Width(mm)	100~180	
Pouch Size	Side gusset width(mm)	20~40	
	Length(mm)	150~350	













Leepack offers a wide range of 8/10/12 station rotary fill seal machines combined with 10/12 vacuum chambers. For any product packaging requiring higher level of vacuum, our vacuum series can be the best solution with high speed and proven performance.

Key features

Rotary Vacuum Fill Seal Machine

Rotary vacuum carousel

Integrated rotary vacuum carousel minimize oxygen level for longer shelf life.

Up to 50 pouches per minute

Up to 12 chambers in rotary vacuum carousel, machine can speed up to 50 pouches per minute



Product filling



Rotary vacuum chamber carousel



RV-810

Description		Model					
Desc	ripuori	RV-810	RV-812	RV-1012	RV-1212		
Number of Station		8	8	10	12		
Number	of Vacuum	10	12	12	12		
Cha	ımber	Number of vacuum chambers may vary with capacity requirement					
Cnood	BPM	30~50	30~50	30~40	30~40		
Speed	BPIVI	Speed may vary with product characteristics, pouches or other operation condition.					
Width(mm		100~220	(S)100~120, (M)100~170	(S)100~120, (L)100~220	100~240		
Pouch Size	Length(mm)	Flat ~300, Standup ~270	(S)Flat ~230, Standup ~210 (M)Flat ~250, Standup ~230	(S)Flat ~230, Standup ~210 (L)Flat ~300, Standup ~270	100~280		

LIQUID FILLER

Leepack offers wide range of liquid and paste fillers. Liquid and Paste filling, especially under high speed is one of the tough issues which most of packaging machine makers are facing against. Our solid and utmost technology based on abundant experience will lead you to select right unit for your application.

Application













Liquid

Juice, Ginseng Juice, Dairy food, Shampoo, Detergent Edible oil, etc

Paste and paste w/solid

Ketchup, Jam, Chily paste, Curry, Soup Cooked meal, etc

Key features

FSP (Servo Driven Valve and Piston Filler)

Supreme Accuracy

It is the most intelligent and accurate liquid/paste filling system.





FPN (Pneumatic Valve and Piston Filler) **Cost Efficiency**

For small volume of filling, this is the great replacement for FSP at lower cost.



FFM (Flowmeter Filler) Perfect CIPable

The simplest configuration of mechanism enables CIP to be completed in shorter period.



FSM (Servo Driven Mono Pump) **Large Capacity**

For large volume of filling especially for paste, this type assures the reliable accuracy and speed.

lann	Model				
ltem	FSP	FPN	FFM	FSM	
Maximum Volume (cc)	~2500	~1000	No Limit	~ 5000	
Accuracy	±0.5~1%	±0.5~1%	±1%	±1%	

NET WEIGHER

Leepack presents various types of granule feeding and filling machine. For any granule product even under tough requirement or production condition, our experienced engineering provides the optimized solution.

Application













Suger, Salt, Grain, Coffee, Nuts, Cereal, Tablet/Capsule, etc

Key features



SY 4GV

High Speed

2 step gate with 1 vibro feeder mechanism ensures better speed and performance

Supreme Accuracy

Efficient feeding process guarantees high level of accuracy

Hygienic Assembly

Main frame, feeding lanes and all other major parts are made of stainless steel to maintain utmost level of hygenic clean condition



P Series

High Durability

Simple and pure mechanical system configuration provides high level of operability and durability



A Series

Supreme Accuracy

Single vibrator per one lane with a pneumatic cylinder driven damper in front of trough realizes better accuracy

Item		SY GV series		SY P/A Series				
	2GV	4GV	6GV	1	2	3	4	
Number of Lane	2	4	6	1	2	3	4	
Speed	20~30	40~50	60~70	10~15	20~30	30~45	45~60	
(CPM : cycle/minute)	speed may vary with product characteristics or other operation condition							
Accuracy	±1%							

AUGER FILLER

Leepack presents servo motor driven auger filler for powder product. Thanks to the servo motor technology, more delicate and accurate movement is enabled without any compromise on convenient operation and less demanding maintenance.

Application









Powder

Flour, Seasoning, Chilli Powder, Detergent, Chemical Powder, etc

Key features



AW590

High Accuracy

Servo motor controlled auger movement enables supreme accuracy in powder filling

Versatile Usage

All auger filler system can be connected with RP unit for automatic packaging system or used for stand alone unit

Just fit auger type

A wide auger range of the highest diversity can perfectly fit to your product and other specific requirements.

Easy assembly of hopper and auger

Simple and straightforward assemble and dismantle process enable more accessible change-over and maintenance at normal operators level

AW 590DTW

Load cell based more accurate weigher checking is available while in dosing process

AW 590TN

Uniquely designed shutter and knocker prevent over-filling so that no toner material be spilled out

AW30KDA

Deaerating technology reduces filled package's volume, which provides more convenience and cost efficiency in overall handling process.








AW 590-30KDA


Description	Model				
	AW590	AW590TN	AW590DTW	AW30KDA	
Volume Range		5~30 kg			
Accuracy	±0.5	±1%			
Size of Augers	φ16~80 mm				

ACCESSARY

Leepack's various type of accessaries and dosing unit enables to provide more customized solution.



Bowl Conveyor BC130 (max 1300cc) BC250 (max 2500cc)




Universal Pivot Conveyor UP4 (~1000cc) UP6 (~4000cc)




Bowl Feeder BF 80 (max 800cc) BF 120 (max 1200cc)



Screw Conveyor





REFERENCE

Overseas Brands





Fugint



KIRKLAND

















ppg







Domestic Brands













MARS





























LEEP/ICK 주식회사 **리백** LEEPACK CO.,LTD.

27, Gajaeul-ro, Seo-gu, Incheon, Korea

Tel +82-32-583-9904 (Domestic) +82-32-582-9904 (International)

+82-303-3130-9904 Fax Web Page www.leepack.com **Email** leepack@leepack.com